

V&V Reference Report

L2 ASCDS Version : 8.5.1.1

Observation 15469 - L2 Version 2
Chandra X-Ray Center


L2 Processing Date : Dec 1 2014

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Bias	3
2.1.3	Parameters	4
2.1.4	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	590522	Sequence number
obs_id	15469	Observation id
title	AO-14 Calibration Observations of E0102-72	Proposal title
observer	Dr. CXC Calibration	Principal investigator
object	E0102-72 S1,-120,15.50,0,-8.8	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	16.01	Observer's specified target RA [deg]
dec_targ	-72.032028	Observer's specified target Dec [deg]
ra_nom	16.324211665695	Nominal RA [deg]
dec_nom	-71.792720082622	Nominal Dec [deg]
roll_nom	247.77130690703	Nominal Roll [deg]
revision	2	Processing version of data
ontime	10064.800150037	Sum of GTIs [s]
liveltime	9573.6708361427	Livetime [s]
ontime5	10064.800150037	Sum of GTIs [s]
l2events	40139	Number of level 2 events



2 OBI


2.1 OBI

2.1.1 Images



2.1.2 Bias

Chip 5



2.1.3 Parameters

obi_num	0	Obi number	sched_exp_time	10000.000000	[s] Scheduled observation exposure time
ascdsver	10.3	Processing system revision	ontime	10064.800150037	Sum of GTIs [s]
caldbver	4.6.4	 	ontime5	10064.800150037	Sum of GTIs [s]
date	2014-12-01T06:56:42	Date and time of file creation	l1events	51163	Number of level 1 events
revision	2	Processing version of data			

2.1.4 Events



	ccd 5
level 1 events	51163
rejected events	8968
rejected %	17%



	ccd 5
grade 0 events	16084
	31%
grade 1 events	89
	0%
grade 2 events	10537
	20%
grade 3 events	4004
	7%
grade 4 events	4060
	7%
grade 5 events	1964
	3%
grade 6 events	7514
	14%
grade 7 events	6911
	13%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar format version number	7	7
Detector	ACIS-5	ACIS-5	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	VFAINT	VFAINT	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	16.311169	16.32421166569483	Subarray requested	CUSTOM	1/4
[deg] Pointing Dec	-71.765706	-71.7927200826216	Subarray start row	42	42
[deg] Pointing Roll	247.602300	247.7713069070305	Subarray row count	256	256
[s] Window start time (MET)	470707267.184000	470707267.184000	Alternating exposures requested	N	N
[s] Window stop time (MET)	483667267.184000	483667267.184000	[s] Primary exposure time	0.000000	0.8
[mm] SIM focus pos	-0.684267	-0.6828225247311905			
[mm] SIM defocus	0	0.001444936568705701			
[mm] SIM translation stage pos	-182.432523	-182.4387182811936			
[mm] SIM translation stage offset	-7.7	-7.693804301814197			
[s] Observation start time (MET)	476108864.184000	476108083.15058			
Observation start date	2013-02-01T12:26:37	2013-02-01T12:14:43			
[s] Observation end time (MET)	476118864.184000	476118997.86367			
Observation end date	2013-02-01T15:13:17	2013-02-01T15:16:37			
Read mode	TIMED	TIMED			

2.3 Aspect








Slot Statistics




slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		ACIS-S-2	6.91	2582	-0.152	-0.130	0.008	0.013	0.000000	0.000000	-770.10	-1898.22
1	FID		ACIS-S-4	6.99	2582	0.137	0.074	0.007	0.012	0.000000	0.000000	2143.28	9.81
2	FID		ACIS-S-6	7.19	2582	-0.013	0.064	0.011	0.019	0.000000	0.000000	392.71	647.80
3	GUIDE	used	1197749664	9.57	5156	-0.081	-0.083	0.113	0.185	15.809015	-72.366369	2210.34	318.88
4	GUIDE	used	1197750936	7.58	5164	0.176	0.177	0.071	0.113	15.387940	-71.549550	-309.50	-1265.26
5	GUIDE	used	1197884536	8.50	5163	-0.051	0.068	0.068	0.115	17.160729	-71.835289	-125.11	979.42
6	GUIDE	used	1197884712	8.30	5164	0.019	-0.052	0.079	0.121	16.087398	-72.252690	1715.45	441.64
7	GUIDE	used	1197885104	9.33	5137	-0.058	-0.116	0.114	0.190	17.845067	-72.189368	788.12	2150.80

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6






2.4.5 Slot 7






2.5 FID Slots




2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.08
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	10.064800150037

A.2 Comments

Window preference met.

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.