

V&V Reference Report

L2 ASCDS Version : 10.7.1

Observation 22219 - L2 Version 1
Chandra X-Ray Center


L2 Processing Date : May 19 2019

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Bias	3
2.1.3	Parameters	4
2.1.4	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.5	FID Slots	13
2.5.1	Slot 0	13
2.5.2	Slot 1	14
2.5.3	Slot 2	15
3	Gratings	16
3.1	HEG Arm	16
3.2	MEG Arm	18
A	Summary	20
A.1	Status	20
A.2	Comments	20

1 Front


seq_num	201231	Sequence number
obs_id	22219	Observation id
title	Eta Carinae: X-ray Emission Line Diagnostics On the Approach to Periastron Passage	Proposal title
observer	Michael Corcoran	Principal investigator
object	Eta Carinae	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	161.264583	Observer's specified target RA [deg]
dec_targ	-59.684444	Observer's specified target Dec [deg]
ra_nom	161.27085746729	Nominal RA [deg]
dec_nom	-59.690442274785	Nominal Dec [deg]
roll_nom	272.16203205866	Nominal Roll [deg]
revision	1	Processing version of data
ontime	35020.801391602	Sum of GTIs [s]
livetime	33862.697149102	Livetime [s]
ontime5	35020.801391602	Sum of GTIs [s]
ontime6	35019.560351491	Sum of GTIs [s]
ontime7	35020.801391602	Sum of GTIs [s]
ontime8	35020.801391602	Sum of GTIs [s]
l2events	205823	Number of level 2 events




2 OBI

2.1 OBI

2.1.1 Images



2.1.2 Bias



2.1.3 Parameters

obi_num	0	Obi number	sched_exp_time	35000.000000	[s] Scheduled observation exposure time
ascdsver	10.7.1	Processing system revision	ontime	35020.801391602	Sum of GTIs [s]
caldsver	4.8.2	 	ontime5	35020.801391602	Sum of GTIs [s]
date	2019-05-19T13:04:51	Date and time of file creation	ontime6	35019.560351491	Sum of GTIs [s]
revision	1	Processing version of data	ontime7	35020.801391602	Sum of GTIs [s]
			ontime8	35020.801391602	Sum of GTIs [s]
			l1events	579813	Number of level 1 events
			tgmethod	FINDZO	Method used to create src1a file
			zo_pos	(4118.24, 4139.20)	src1a sky pixel position
			zo_pos_tgd	(4118.33, 4139.12)	src1a sky pixel position via radetect

2.1.4 Events



	ccd 5	ccd 6	ccd 7	ccd 8
level 1 events	155085	121922	167597	135209
rejected events	79349	91467	70682	96131
rejected %	51%	75%	42%	71%



	ccd 5	ccd 6	ccd 7	ccd 8
grade 0 events	10099	17454	12533	12696
	6%	14%	7%	9%
grade 1 events	3556	82	546	78
	2%	0%	0%	0%
grade 2 events	20597	5128	20606	8444
	13%	4%	12%	6%
grade 3 events	3683	2291	9795	4085
	2%	1%	5%	3%
grade 4 events	3534	2287	9586	3841
	2%	1%	5%	2%
grade 5 events	10165	4013	13723	6182
	6%	3%	8%	4%
grade 6 events	38733	3544	45277	10395
	24%	2%	27%	7%
grade 7 events	64718	87123	55531	89488
	41%	71%	33%	66%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar format version number	7	7
Detector	ACIS-5678	ACIS-5678	Obspar file type	PREDICTED	ACTUAL
Grating	HETG	HETG	Obspar update status	NONE	UPDATED
Data mode	FAINT	FAINT	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	161.241354	161.2708574672903	Subarray requested	CUSTOM	CUSTOM
[deg] Pointing Dec	-59.667403	-59.6904422747846	Subarray start row	1	1
[deg] Pointing Roll	271.979950	272.1620320586626	Subarray row count	350	350
[mm] SIM focus pos	-0.684267	-0.6828225247311905	Alternating exposures requested	N	N
[mm] SIM defocus	0	0.001444936568705701	[s] Primary exposure time	0.000000	1.2
[mm] SIM translation stage pos	-182.132523	-182.1370004450064			
[mm] SIM translation stage offset	-8	-7.995522138001405			
Phase constraints	Y	Y			
[d] Phase period	2024.000000	2024.000000			
[d] Phase epoch (MJD)	56871.291953	56871.291953			
Phase start	0.797000	0.797000			
Phase end	0.930000	0.930000			
Phase start error	0.010000	0.010000			
Phase end error	0.010000	0.010000			
[s] Observation start time (MET)	674589156.184000	674588126.64881			
Observation start date	2019-05-18T17:51:27	2019-05-18T17:35:26			
[s] Observation end time (MET)	674624156.184000	674624783.21351			
Observation end date	2019-05-19T03:34:47	2019-05-19T03:46:23			
Read mode	TIMED	TIMED			

2.3 Aspect






Slot Statistics




pt	status	used	id	mag	n_pts	frac_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mea
0	FID		ACIS-S-4	7.22	8560	1.000	0.478	-0.008	0.009	0.031	0.000000	0.000000	2155.58	7
1	FID		ACIS-S-5	7.27	8559	1.000	-0.562	-0.024	0.013	0.038	0.000000	0.000000	-1811.60	0
2	FID		ACIS-S-6	7.45	8556	1.000	0.054	0.046	0.011	0.018	0.000000	0.000000	403.36	644
3	GUIDE	used	1130643264	6.64	17119	1.000	0.205	0.188	0.096	0.159	160.322990	-59.676912	-11.31	-1669
4	GUIDE	used	1174020728	8.13	17117	1.000	-0.158	-0.276	0.096	0.149	162.364714	-60.294672	2343.07	1924
5	GUIDE	used	1130632200	7.54	17116	1.000	-0.042	0.065	0.080	0.141	161.433843	-59.407820	-920.91	384
6	GUIDE	used	1174033144	8.62	17111	1.000	-0.012	0.041	0.109	0.168	161.168741	-60.059230	1405.53	-178
7	MONITOR	unused		0.00	0	0.000	0.000	0.000	0.000	0.000	0.000000	0.000000	0.00	0

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4



2.4.3 Slot 5




2.4.4 Slot 6




2.5 FID Slots


2.5.1 Slot 0



2.5.2 Slot 1




2.5.3 Slot 2



3 Gratings


3.1 HEG Arm



HEG Order Sort 123

HEG Zero Order


HEG Order Sort ALL





Spot Image HEG


Full Detector HEG

	order -3	order -2	order -1	order 0	order 1	order 2	order 3
Events	286	544	7477	21426	7097	462	261






3.2 MEG Arm



MEG Order Sort 123

MEG Zero Order


MEG Order Sort ALL





Spot Image MEG

Full Detector MEG

	order	order	order	order	order	order	order
	-3	-2	-1	0	1	2	3
Events	1106	523	8690	21426	10708	430	795





A Summary

A.1 Status

V&V Scientist	Melania Nynka
V&V Date (YYYY-MM-DD)	2019.05.21
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	35.020801391602

A.2 Comments

Comments for Obi 0

The ACIS focal plane temperature is warmer than -114.0 C degrees during the interval 674588994.85 - 674610293.65 (MET s) of this observation. This temperature is the upper limit of the verified ACIS calibration for the front-illuminated chips. The focal plane temperature is warmer than -112.0 C during the interval 674588994.85 - 674599630.45 (MET s) of this observation. This temperature is the upper limit of the verified ACIS calibration for the back-illuminated chips. The ACIS spectral response calibration is less accurate at these warmer temperatures than it is at -115.0 C. Users whose science objectives depend on the most accurate spectral response (e.g., fitting line-rich spectra) may notice an effect. Users whose science objectives do not depend on the most accurate spectral response should not notice an effect.