

V&V Reference Report

L2 ASCDS Version : 10.9.1

Observation 4616 - L2 Version 4
Chandra X-Ray Center


L2 Processing Date : Sep 23 2020

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Bias	3
2.1.3	Parameters	4
2.1.4	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	500441	Sequence number
obs_id	4616	Observation id
title	PRECISION TIMING OF A POSSIBLE NEW ANOMALOUS X-RAY PULSAR	Proposal
observer	Prof. Bryan Gaensler	Principal investigator
object	CXOU J010043.1-721134	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	15.179583	Observer's specified target RA [deg]
dec_targ	-72.192722	Observer's specified target Dec [deg]
ra_nom	15.157047558052	Nominal RA [deg]
dec_nom	-72.198441379282	Nominal Dec [deg]
roll_nom	252.47345710379	Nominal Roll [deg]
revision	4	Processing version of data
ontime	17156.000255615	Sum of GTIs [s]
livetime	15559.586663899	Livetime [s]
ontime7	17156.000255615	Sum of GTIs [s]
l2events	9905	Number of level 2 events



2 OBI


2.1 OBI

2.1.1 Images



2.1.2 Bias

Chip 7



2.1.3 Parameters

obi_num	0	Obi number	sched_exp_time	17000.000000	[s] Scheduled observation exposure time
ascdsver	10.9.1	Processing system revision	ontime	17156.000255615	Sum of GTIs [s]
caldbver	4.9.2	 	ontime7	17156.000255615	Sum of GTIs [s]
date	2020-09-23T15:45:30	Date and time of file creation	l1events	20994	Number of level 1 events
revision	4	Processing version of data			

2.1.4 Events



	ccd 7
level 1 events	20994
rejected events	10708
rejected %	51%



	ccd 7
grade 0 events	1497
	7%
grade 1 events	28
	0%
grade 2 events	2111
	10%
grade 3 events	1380
	6%
grade 4 events	1375
	6%
grade 5 events	1744
	8%
grade 6 events	4266
	20%
grade 7 events	8593
	40%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar version number	8	8
Detector	ACIS-7	ACIS-7	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	VFAINT	VFAINT	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	15.144531	15.157047558052	Subarray requested	CUSTOM	1/8
[deg] Pointing Dec	-72.174792	-72.198441379282	Subarray start row	449	449
[deg] Pointing Roll	252.293015	252.47345710379	Subarray row count	128	128
[mm] SIM focus pos	-0.684267	-0.6828225247311905	Alternating exposures requested	N	N
[mm] SIM defocus	0	0.001444936568705701	[s] Primary exposure time	0.000000	0.4
[mm] SIM translation stage pos	-190.132523	-190.1425803651734			
[mm] SIM translation stage offset	0	0.01005778216563158			
[s] Observation start time (MET)	191618119.184000	191617137.28632			
Observation start date	2004-01-27T19:14:15	2004-01-27T18:58:57			
[s] Observation end time (MET)	191635119.184000	191636010.61215			
Observation end date	2004-01-27T23:57:35	2004-01-28T00:13:30			
Read mode	TIMED	TIMED			

2.3 Aspect







Slot Statistics

slot	status	used	id	mag	n_pts	frac_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mea
0	FID		ACIS-S-2	7.10	4184	1.000	-0.075	-0.045	0.007	0.012	0.000000	0.000000	-759.67	-1732
1	FID		ACIS-S-4	7.20	4185	1.000	0.123	0.048	0.005	0.010	0.000000	0.000000	2153.63	176
2	FID		ACIS-S-5	7.23	4185	1.000	-0.079	0.006	0.007	0.011	0.000000	0.000000	-1812.26	169
3	GUIDE	used	1197750936	7.55	8369	1.000	0.007	0.074	0.054	0.084	15.387940	-71.549550	-2227.72	-420
4	GUIDE	used	1197884536	8.50	8369	1.000	0.012	-0.008	0.066	0.112	17.160729	-71.835289	-1816.55	1795
5	GUIDE	used	1197884712	8.31	8369	1.000	0.042	0.054	0.056	0.087	16.087398	-72.252690	-39.82	1073
6	GUIDE	used	1197885328	7.23	8370	1.000	-0.006	-0.106	0.050	0.081	16.283090	-71.733943	-1891.19	745
7	GUIDE	used	1198189696	7.36	8368	1.000	-0.056	-0.013	0.047	0.075	15.223750	-72.697522	1766.84	653


∞

2.4 Star Slots



2.4.1 Slot 3




Time (s)





2.4.2 Slot 4




Time (s)





2.4.3 Slot 5




Time (s)





2.4.4 Slot 6




Time (s)



2.4.5 Slot 7






Time (s)





2.5 FID Slots


2.5.1 Slot 0





2.5.2 Slot 1




Time (s)



2.5.3 Slot 2



Time (s)



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2020.09.23
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	17.156

A.2 Comments