

V&V Reference Report

L2 ASCDS Version : 8.4.5

Observation 13899 - L2 Version 2
Chandra X-Ray Center


L2 Processing Date : Nov 28 2014

Contents

1	Front	2
2	OBI	3
2.1	OBI	3
2.1.1	Images	3
2.1.2	Bias	3
2.1.3	Parameters	4
2.1.4	Events	4
2.2	Compared Parameters	5
2.3	Aspect	6
2.4	Star Slots	9
2.4.1	Slot 3	9
2.4.2	Slot 4	10
2.4.3	Slot 5	11
2.4.4	Slot 6	12
2.4.5	Slot 7	13
2.5	FID Slots	14
2.5.1	Slot 0	14
2.5.2	Slot 1	15
2.5.3	Slot 2	16
A	Summary	17
A.1	Status	17
A.2	Comments	17

1 Front


seq_num	702624	Sequence number
obs_id	13899	Observation id
title	CHANDRA SURVEY OF DUAL ACTIVATION IN HARD X-RAY SELECTED MERGING AGN HOSTS	Proposal title
observer	Dr. Richard Mushotzky	Principal investigator
object	Mrk 975	Source name
dtcycle	0	
cycle	P	events from which exps? Prim/Second/Both
ra_targ	18.4625	Observer's specified target RA [deg]
dec_targ	13.271722	Observer's specified target Dec [deg]
ra_nom	18.465356356702	Nominal RA [deg]
dec_nom	13.270513718548	Nominal Dec [deg]
roll_nom	278.15594337661	Nominal Roll [deg]
revision	2	Processing version of data
ontime	11069.199340224	Sum of GTIs [s]
livetime	10039.179521335	Livetime [s]
ontime7	11069.199340224	Sum of GTIs [s]
l2events	6410	Number of level 2 events



2 OBI


2.1 OBI

2.1.1 Images



2.1.2 Bias

Chip 7



2.1.3 Parameters

obi_num	0	Obi number	sched_exp_time	11000.000000	[s] Scheduled observation exposure time
ascdsver	10.3	Processing system revision	ontime	11069.199340224	Sum of GTIs [s]
caldbver	4.6.4	 	ontime7	11069.199340224	Sum of GTIs [s]
date	2014-11-28T18:54:51	Date and time of file creation	l1events	11713	Number of level 1 events
revision	2	Processing version of data			

2.1.4 Events



	ccd 7
level 1 events	11713
rejected events	5044
rejected %	43%



	ccd 7
grade 0 events	907
	7%
grade 1 events	12
	0%
grade 2 events	1366
	11%
grade 3 events	851
	7%
grade 4 events	831
	7%
grade 5 events	1080
	9%
grade 6 events	2714
	23%
grade 7 events	3952
	33%

2.2 Compared Parameters

Parameter	Planned	Actual	Parameter	Planned	Actual
Instrument	ACIS	ACIS	Obspar format version number	7	7
Detector	ACIS-7	ACIS-7	Obspar file type	PREDICTED	ACTUAL
Grating	NONE	NONE	Obspar update status	NONE	UPDATED
Data mode	FAINT	FAINT	Number of optional ACIS chips dropped	0	0
Observation mode	POINTING	POINTING	On-chip summing requested	N	N
[deg] Pointing RA	18.447678	18.46535635670227	Subarray requested	CUSTOM	1/8
[deg] Pointing Dec	13.291738	13.27051371854829	Subarray start row	449	449
[deg] Pointing Roll	278.003404	278.1559433766063	Subarray row count	128	128
[mm] SIM focus pos	-0.684267	-0.6828225247311905	Alternating exposures requested	N	N
[mm] SIM defocus	0	0.001444936568705701	[s] Primary exposure time	0.000000	0.4
[mm] SIM translation stage pos	-190.132523	-190.1400660498719			
[mm] SIM translation stage offset	0	0.00754346686406393			
[s] Observation start time (MET)	467814584.184000	467813232.27896			
Observation start date	2012-10-28T12:28:37	2012-10-28T12:07:12			
[s] Observation end time (MET)	467825584.184000	467826368.67966			
Observation end date	2012-10-28T15:31:57	2012-10-28T15:46:08			
Read mode	TIMED	TIMED			

2.3 Aspect








Slot Statistics




slot	status	used	id	mag	n_pts	med_dy	med_dz	dr1	dr2	ra	dec	mean_y	mean_z
0	FID		ACIS-S-2	6.91	2728	-0.048	0.002	0.013	0.023	0.000000	0.000000	-765.99	-1737.40
1	FID		ACIS-S-4	7.00	2728	0.182	0.022	0.011	0.018	0.000000	0.000000	2147.29	170.63
2	FID		ACIS-S-5	7.03	2728	-0.166	-0.017	0.010	0.020	0.000000	0.000000	-1818.38	164.78
3	GUIDE	used	81135776	8.76	5455	-0.127	-0.051	0.076	0.121	18.112609	13.039203	736.29	-1289.87
4	GUIDE	used	81139472	8.11	5457	0.109	-0.301	0.074	0.116	19.044795	13.735421	-1293.12	2290.22
5	GUIDE	used	81142688	9.26	5446	-0.003	0.244	0.147	0.235	18.768829	13.065898	961.25	1003.22
6	GUIDE	used	81135696	8.77	5456	0.005	-0.088	0.081	0.128	17.940320	13.876716	-2333.41	-1462.39
7	GUIDE	used	81142832	9.39	5453	0.007	0.188	0.130	0.220	18.411615	13.931386	-2297.89	195.80

2.4 Star Slots




2.4.1 Slot 3






2.4.2 Slot 4






2.4.3 Slot 5



2.4.4 Slot 6






2.4.5 Slot 7






2.5 FID Slots




2.5.1 Slot 0



2.5.2 Slot 1



2.5.3 Slot 2



A Summary

A.1 Status

V&V Scientist	Beth Sundheim
V&V Date (YYYY-MM-DD)	2014.12.02
V&V Edition	1
V&V Disposition and Status	OK
V&V Charge Time	11.069199340224

A.2 Comments

These data have been reprocessed with new aspect alignment calibration files that correct small mean offsets (up to 0.4 arcsecs) and improve overall astrometric accuracy. The new calibration was determined using data from the time period being reprocessed and was performed using cross-correlation of X-ray sources with radio and optical counterparts.